
# in OPTICS



1966 1

# A: DAEGERS

.....IT'S THE TOUCH THAT COUNTS



OPTICAL PRECISION

The TOUCH of Gentle, Skilful, Firm Hands......

Sharp, Watchful, Experienced

OPTICS OPTICS

OPTICS

A. JAEGERS OPTICAL CORP.

Cable Address - Aljae Horton Avenue & Merrick Road Lynbrook, L. I., New York Lynbrook 9-3167

PRECISION MANUFACTURING TO YOUR SPECIFICATIONS

1-212- LY 9-3167



MIRRORS

LENSES


**EYEPIECES** 

PRISMS

**BINOCULARS** 



Thousands of Optical Bargains



## A. JAEGERS

The Glass House

691 MERRICK ROAD LYNBROOK, NEW YORK 11563

516 LYNBROOK 9 - 3167

# WAR SURPLUS BARGAINS

# 8X Elbow Telescope

\$200.00 value

Our best value offer to date. This telescope will make an exceptional finder. Also, can be used for telephoto photography. It can be used for telephoto photography scope by removing the objective and adding a tube with a longer focal length objective. Think of these many features when buying. There are 4 filters which are mounted inside the telescope on the turret for and definition. Clear in color. Excellent resolving power and definition. Clear, sharp and bright images. Slightly used but in fine condition. Measures 11%, in length, 5' in width, 6' in height. Weight 5 lbs.





uncoated \$17.50

No. 1975 Coated

# M 7 Elbow Telescope

Compact and lightweight, this 8 power telescope has a 48° apparent field of view. 52mm dia.objective and focusing eyeptece. Grossine reticle. 4 turret filters - amber, red. neutral and clear in color. Large Amich erecting system, plus a rubber eyecup. Aluminum construction. Length 11", width 4.3 %4" and 4" in height. First class condition.



52.0

# 3 X ELBOW Telescope



SURPLUS WAR PERISCOPE AZIMUTH POWER

Here are all the OPTICAL parts you need to construct an astronomical reflector telescope. Metal parts are not included.

REFLECTOR TELESCOPE KITS"

TELESCOPES

口口

A. A. 3-38" dia mirror, aluminized with a Silt.com.monoxide coating. Ground and polished to k wave.length.

B. AluminizedFS diagonal 1-116"x1%"x3/8".

C. Two lenses to make a 1" focal length.

\$ 9.95 Postpaid

msden eyepiece. struction booklet.

B. All C. Tw Ra D. In

4.6X TELESCOPE KIT.
This ki includes:
A 4k" dia. pyrex brand mirror, aluminized with a silcon-monoxide coating.
Ground and polished to k wave length.
B. Aluminised diagonal first surfacemirror
C. Two lenses to make a l'focal length

Ramsden eyepiece. Instruction booklet. 5C2285

A unique periscope with a quality of its own, in that when looking through the eyepiece you view rearward. This periscope is delicately balanced in the center; turns on a pivo. Contains a crossline reticle. The lluminated for night use. The original mounting for this periscope was not offered when we made the purchase, therefore we cannot supply it.

lens erecting system.

Completely assembled and ready for use. Periscope is 29-1/2" long and weight 12 lbs. Instrument is contained in a wood chest, bringing aprox. Shipping weight to 40 lbs.

No. 2519

D. Instructory TEISCOPE KIT

JOST TEISCOPE KIT

This kit consists of:

A. A 6" dia prex brand mirror, aluminized
with a silicon-monoxide coating. Ground
and polished to % wave length.

B. Aluminized diagonal first surface mirror
1-14 \*x1-334\*x3.8" thick.

C. Two lenses to make a 1" focal length

C. Two lenses to make a 1" focal length MACHINE GUN SIGHT



Here is a small, light and compact telescope. About 3%X. Contains a leman roof prism to give a clear erect image; a 24mm f.l. eyepiece; and a 16mm dia 80mm f.l. objective. These instruments are slightly used, but in excellent condition. Comes complete with leather carrying case. Weight of telescope: 1-% pounds. BARGAIN PRICED!

No. 1687

\$8.75 Postpaid

MOUNT

GEAR HEAD

WAR SURPLUS

Smooth operating double geared mount with clutch release, may be turned in a full circle. Has a circular level visit; graduated scale 0 to 64 mils; and ball joint which will lock in any position. Use with our tri-po No. 213. Includes, a split por No. 213. Includes, a split arcollar approx. 1-3/8" diameter collar approx. 1-3/8" diameter collar approx. 1-3/8" diameter to collar a

\$8.75 Postpaid

No. 2846

A A Window
D-Objective
E-Reficiole
G-Collective Lens
J-Everice
H-Reficiol TELESCOPE M60 BRAND NEW!

3 Power periscope type military observation telescope with lens erecting system and all coated optics. Abromatic objectives Large Symmetrical Expensec 50mm in diameter. Field of view 13 degrees 25 minutes. Also contains 2 right angle prisms. Also contains 2 right angle prisms. mailtary reticle with provision for illumination, monocular eyequard and 3 filters. They are neutral. amber and red. Objective is located under the upper prism. Line of observation is 12" above the observers line of vision. Height 14", base 10%". per prism. Line of observobservers line of vision. and weight 10 lbs.

\$18.75 postpaid No. 2091

This 3 power Elbow Telescope was used by the Army in tanks for sighting at right angles. It has a 1" Addromatic Objective lens and an Amico Erecting System. The Achromatic Eye and Field lenses are 1-3/8" in diameter. It weighs 2 lbs. Measurements: 5-1/8" x 4" x 1-3/4". Small and compact.

Uncoated (used)

No. 923

A. JAEGERS - LYNBROOK, N.Y.

\$9.75 Postpaid

Dismantled it offers the following parts: focusing epspiece; objective-47mm aperture; eyelens-aperture approx. 37mm; two right angle prisms;

\$37.50 FOB Lynbrook 4

ARMY TELESCOPE

×

This 3 power telescopes' upright image makes for fine viewing of landscapes, seashores, objects, etc. These superb telescopes were produced by one of the most outstanding manufacturers of optical equipment. Easily dismantled, you will find it useful for warious projects. The high resalving power of the six achromatic lenses will bring out great detail. Each scope has red reticle illuminating window on outside. Enables, you to use flashlight to illuminate reticle for night use. Made of surrdy steel and brass, Weight 5 lbs., length 22% on collapsible), 12° 19° field. The scope consists of a wide field kellner expediece, filliw, military reticle. Objective has a flat glass pretective window. 3 power, rubber eveguard, filters: red, amber and neutral that snap on to eyeptece. Simple instructions for converting scope to 6X finder, included with each purchase.

Pair of Mounting Rings for above finder. (value \$150.00) 580

No. 3501963

SMALL SPECIALIZED TELESCOPE COATED

OPTICS

1-1/3 power, 5%" long, solid brass construction, wt. approx. 11 D. Contains an objective lens, mounted Porro Abbe erecting system and an abromatic expelice, which was designed for eye relief. Eye distance 4".

3/8"-13/16"

> Uncoated No. 18C1244 No. 17D1819

\$3.75 Postpaid \$4.50 Postpaid

₹1.350"¥ 

# Prismatic spotting scope New

POWER	FIELD OF VIEW AT 1000 YARDS	DIAMETER OF EXIT PUPIL	RELATIVE BRIGHTNESS
15X	122'	4.0mm	16
20X	122'	3.0mm	9
30X	61'	2.0mm	4
40X	49'	1.5mm	2.25
60X	32'	1.0mm	1



60mm OBJECTIVE

FIVE EYEPIECES

A new compact 60mm PRISMATIC SPOTTING SCOPE. An ideal optical instrument for long range observation and sightseeing. Highest quality hard coated optics, achromatic, color corrected lenses, gives outstanding pinpoint defini-

tion. Greater illumination is assured through its' large 60mm objective lens. Sunshade around the objective lens can be extended up to 2" to eliminate sun-glare. Overall length of telescope is 13", wt. 29 ozs. Supplied with five eyepieces 15X to 60X. At no extra charge you get a sturdy metal tripod, height adjustable from 11½" to 16½". Bottom of tripod tube has an adapter to fit a standard (heavy duty) camera tripod.

No. DR1721

\$42.95 Postpaid

#### BLOWER WHEELS

Measures: 3-13/16" outside dia., by 1-29/32" wide. 1/4" diameter hole for motor shaft. The rotation of the driving motor should be counter clockwise, as viewed from the shaft side. Available in steel (painted black), and al-

uminum.
No. 16E2852.....Steel.....\$2.85 Postpaid No. 16E2851 ..... Aluminum. .... \$2.85 Postpaid



With a simple twist of the wrist you can ZOOM from 20 Power to 60 Power. Large 60mm (2-3/8") objective resolves 1.5 seconds. All coated optics, metal screw-on protective 20x cap, eyelens cover and sunshade. Length of scope approximately 15". Sturdy metal tri-pod has micro-fine altitude and azimuth ad-justments, also has built-in tripod adapter. Comes in fitted styrofoam case. Total shipping weight approximately 12 pounds.

Bo. DR2926

\$49.00 Postpaid



No. DR1772

30 X 60 MONOCULAR

Magnification 30X, objective lens 60mm in dia.

#### TURRET SPOTTING SCOPE

This prismatic telescope features a revolving turret eyepiece mount. Four eyepieces of variable power are mounted on the turret. Powers range from 15X, 20X, 30X to 40X. The changing of eyepieces Powers range from 15X, 20X, 30X to 4UX. The changing of eyepieces is easily accomplished by a mere flick of the finger. Eyepieces are parfocal and it is not necessary to refocus when switching powers. Supplied with a sturdy all metal tripod. Bottom of the tripod tube is drilled & tapped to fit a standard (heavy duty) camera tripod. No. DRI 960. ... Coated. ... 60mm Dia. Objective. ... 495.75 Ppd. No. DR2401. ... Coated. ... 80mm Dia. Objective. ... 496.50 Ppd.

60mm - 80mm objectives

Eveniece	Field of View at	Angular Field of View	Diame of Ex Pupi	it	Relat	
(Magnification)		(Degrees)	60mm	80mm	60 mm	80mm
15X	122 ft.	20.3	4.0mm	5.4mm	16	29
20X	122 ft.	20.3	3.0mm	4. 0mm	9	16
30X	61 ft.	10.2	2.0mm	2.7mm	4	7
40X	49 ft.	00.9	1.5mm	2. 0mm	2.25	4



True Zoom action--fingertip control--from 15X to arue Zoom action--fingertip control--from 15X to 30X. Choose the right power for any spotting or viewing need. 50mm achromatic objective. All optics are hard coated, which enables a brilliant image at any power. Precisely machined, all metal body; prismatic system reduces length to 15" overall. May be hand held (scope alone weighs 2 lbs.) or used with tripod supplied. Aluminum and chrome-brass tripod is adjustable from 12" to 18". Locking ban-head swivels and tilts to any Locking pan-head swivels and tilts to any angle. Shipping weight 5 pounds

No. DR2583

\$45.00 Postpaid



Lightweight construction, crackle finished body with chromium plated satin finish trimming. Removable dust cap for protection of the objective lenses when not in use. Achromatic objective, coated optics. Supplied with metal tripod.


#### 20 X 40 MONOCULAR

Magnification 20X, objective lens 40mm in dia. Field of view 105' at 1000 yards. Weight 6 ozs. Length is 84".

\$17.50 Postpaid

Field of view 71' at 1000 yards. Weight 17 ozs. Length is 12%".

\$19.75 Postpaid



#### SPECIFICATIONS:

Clear Dia. Of Achromatic Objective 3" F. L. Of Objective Approximately 23\%" Power - 10X and 15X, (Two Eyepieces) Eyepieces -- (Focusing Type)
Field Of View 3 Degrees and 2 Degrees Exit Pupil 7.5mm and 5mm

Minimum Focus 50 Feet Prismatic Erecting System Horizontal Reticle Scale In Degrees Reticle Adjustable (Can Be Removed) Swing Away Objective Guard

#### 10X - 15X AZIMUTH TELESCOPE (Specs above)

This versatile war surplus optical instrument is well suited for astronomical use. The crystal-clear, bright erect image and extra wide field makes it a natural for terrestrial use. Perfect for rifle ranges, scope has been used to spot holes in rifle targets 400 yards away. Use for bird watching, viewing boat races, observing air-planes, etc. Comes with 2 interchangable powers 10% & 15% highly corrected wide-angle eyepieces. Scope is equipped for electrical connections for illuminating the reticle for night use. 2 Mazda type 64 lamps 3C W 6-8V. included. No power supply included. Telescope is constructed of solid pronze with tripod pivots. military olive-drab paint finish, length of scope 26", shipping wt. approx. 40 lbs. Slightly used, in excellent operating condition.

No. 2865

#### 15X AZIMUTH TELESCOPE

SPECIFICATIONS: One 15 power eyepiece, field of view 2 degrees, exit pupil 5mm. Shipping weight approximately 40 lbs. All other specifications are the same as No. 2865.

\$55.00\*

#### IOX AZIMUTH TELESCOPE

SPECIFICATIONS: One 10 power eyepiece, field of view 3 degrees, exit pupil 7.5mm. Shipping wt. approx. 40 lbs. All other specifications are the

No. 2717

\$49.50\*

Illustration shows Azimuth Scope mounted on tripod.



### ☐ TRIPOD ☐

U. S. Government tripod, constructed of oak with bronze legs and fittings. Legs are adjustable, fully extended 50", closed 36" (without mount). Original government cost \$66. Our low price includes our own saddle mount which will accommodate the above telescopes as well as many others. Shipping weight approximately 9 pounds.

\$79.50\*

\$25.00\*


\* All items on this page are shipped Express Collect

F.O.B. Lunbrook. New York

THE GLASS HOUSE

VARIABLE POWER

15X, 20X, 30X & 40X



#### PANORAMIC TELESCOPE

SURPLUS SALE 4 Power Panoramic Telescope with a geared objective rotating head, head with a geared objective rotating nead, nead rotates 360°. Contains a Kellner type eyepiece 21mm focal length, amici prism to give erect image, dove prism and an objective lens. This telescope is of American manufacture and has a 10° field with exit pupil of 4.5mm. Weight 4½ lbs., height 8%". Slightly used. \$12.50 Postpaid

4 Power Panoramic Telescope manufactured by C. P. Goerz, Berlin, Germany. Contains similar optics as above. Height 10", weight 5 lbs. These instruments are in better condition that those listed above. 817.50 Postpaid

#### M12 PANORAMIC TELESCOPE

Similar to above. 4X optical system. Achromatic objective, amici roof erecting system. Height approximately 10", weight 6 pounds. No. 2779 BRAND NEW COATED OPTICS \$27.50 Postpaid



M1 PANORAMIC

No. 18A1935

Distinguishing feature of this Panoramic Telescope is that the eyepiece leg slants upward at an angle of 25°, permitting the observer to look downward at this angle and yet maintain a true horizontal like of sight. Because of the angle of the eyepiece, a special 1550 Amici prism is used. 3 Power, field of view 12°12'. The objective is located between the rotating Amici prisms.

#### 6 X Battery Commander Periscope



This instrument has a focusing eyepiece. Fine crossline reticle. Field of view 60 30 minutes. Made of brass, length 28". Dismantled, it offers the following parts:

FOCUSING KELLNER EYEPIECE - 1-1/8" E. F. L. 2 RIGHT ANGLE PRISMS - flat to 4 wave, 25 x 23mm and 30 x 30mm face size. ACHROMATIC OBJECTIVE LENS - 30mm diameter,

25mm dia. 25mm dia. 7" F. L. and 25mm dia. 7" F. L. PLANO CONVEX COLLECTIVE LENS - 34mm dia. x 5½" F. L.

Completely assembled and ready for use. \$15.00 Postpaid No. 1365

#### TRIPOD

3' high, may be extended to 5'. Smooth operating double geared mount clutch release, may be turned in full circle. Has circular level vial and graduated scale 0 to 64 mils. Has ball joint which will lock scope in any position.

A JAEGERS - LYNBROOK, N.Y.

\$20.00 Postpaid



Completely assembled rifle scopes, contain five achromatic lenses. Eyelens 25mm Diameter Objective lens 18mm Dia. and reticle. Length 8%". Although used, each rifle scope is individually checked by our Inspection Dept.

1X rifle scope (above) has true crossline reticle, plus

small grid pattern.
No. 16B1457. ... Used Not Coated. ... \$3.95 postpaid
No. 16B2881. ... New Not Coated. ... 4.95 postpaid

1X rifle scope same as No. 16B1457, but without brackets, has military type reticle.

No. 16B1458......s6.50 postpaid

BRAND NEW RIFLE SCOPES

Only a few scopes with 1.8X, similar to No. 16B1458, except these are new. Have increased power, military reticle, scope comes without brackets.

No. 18A1459......Uncoated......\$7.50 postpaid Same as above, but with 1X crossline type reticle with

slight break at center. 

For those who wish to increase the power of there scopes, adapter can be made to hold a larger dia., longer focal length objective. This will increase length of scope slightly. It is not necessary to touch the erectors or eyepiece lenses. Instructions included.

Increase power of above scopes (Instructions included). 25MM OBJECTIVE 25%X...No. 1001173...\$1.00 postpaid 31MM OBJECTIVE 35%X...No. 10E1174...1.00 postpaid

SPECIFICATIONS:

Magnification 18mm Exit Pupil Eye Relief Field at 100 yards 11 ozs. Weight

#### "LARGE" RIFLE SCOPE M86C





3 Power war surplus army rifle scope. Has reticle which will give you desired deflection and range. Reticle may be illuminated for night use. Field of view 70 3'. Length 10-1/8", weight 11/2 pounds.

No. 1966.....\$8.50 postpaid



War surplus, used as a rifle scope by the army. Gradwar surplus, used as a first scope by the army, crad-uations on the reticle is used for setting in deflec-tions and elevation. Reticle may be illuminated for night operation. 3 Power, field of view 10° 24', len-gth with rubber eyeshield 17", weight about 4 pounds.

No. 1965.....\$8.50 postpaid 

Additional Rifle Scopes are listed on page 37. 

#### ASSORTED TELESCOPES and PARTS

N



#### 10X TELESCOPE

This 10 Power Telescope with a BIG 30mm objective, gives a wide field of view. The draw tube is eliminated! Just turn the focusing eyepiece and clear, crisp definition appears. Coated for greater light transmission. Excellent for hunting, boating, bird watching, nature study, target spotting and other general telescopic uses. Weighs only 9 ounces, and is 12 inches in length.

No. DR2737

\$6.95 Postpaid

#### ZOOM TELESCOPE


Magnification ranges from 6X - 18X. This 30mm diameter achromatic objective is hard-coated. Two-tone gray enamel finish; chrome plated draw tube with threaded adapter for use with standard camera tripod. Length approximately 10% closed; 13" extended. Weight approximately 10 ounces.

87 05 Portraid

#### TABLE TOP TRIPOD

This sturdy 9" metal tripod accommodates the above telescope (DR2759). Equipped with rubber feet to prevent slipping. Ball joint enables movement in all directions, and locks into desired position. Weight 11 ounces, No. 164284 \$2.00 Postpaid

#### 3 POWER TELESCOPE



Compact 3 power war surplus telescope. Has a unique mirror erecting system and a dovetail slot 1-1/8" to secure to weapon. Field of view  $11^{0}$  30'. Reticle has pattern which represents the desired deflection and range. May be illuminated for night operation. Length with rubber eyeshield 5". Height 3". Weight about 11/2 lbs.

\$6.50 Postpaid

#### NORDEN BOMB SIGHT



This is the famous Norden Bomb Sight used in World War Two, on display at the Smithsonian Institute. A real collectors item. You will receive the head unit of the sight, which contains a multitude of useful parts including: lenses, prisms, gyro, gears, etc. We offer this tremendous value to you at a low, low price. Excellent, new like condition. Approx. weight 33 pounds.

\$37.50 F.O.B. Lynbrook, New York

#### 3X TANK TELESCOPE M76

WAR SURPLUS



This 3X Tank Telescope has an actual field of view of  $21^{\circ}$  30' (apparent field 65'). Take it apart and you have lenses, windows, a reticle. cells, tubes, retaining rings, spacers, housings, etc. Tremendous value for the optics and parts alone! This telescope has unlimited possibilities. The objective (No. 18B1462) has a 104mm E.F.L.; contains four lenses. The highly corrected erecting system has an E.F.L. of 118.6mm; contains four lenses. The eyepiece (No. 1E1592) has a 1½" F.F.L.; contains three lenses. Length is 27½". Slightly used, good condition. Shipping weight 25 lbs.

\$35.00 F. O. B.

Lynbrook, New York

#### ADAPTABLE TRIPOD

This government surplus tripod has a 1-3/8" open-ing at top (see arrow) which can easily be ad-apted to accommodate various types of telescope mounts. Made of oak with bronze Made legs and fittings. Legs are adjust-able, fully extended 60", closed 36". This durable and sturdily built tripod will se-curely support a wide range of in-struments; reflectors, refractors,

movie cameras, still cameras, etc. Versa-tile tripod - Excellent value. Weight 7 lbs. No. 2131 \$15.00 Postpaid

#### MECHANICAL STAGE

This mechanical stage is of professional quality and extreme precision. Main and vernier scales in both length & width allow readings to 0.1mm. Appropriate for our microscopes Nos. DR1584 and DR1585 (see page 24A).



No. DR2520

\$21.75 Postpaid

#### 3X ELBOW TELESCOPE




This small compact lightweight Elbow Telescope contains an Amici erecting system. It has a wide-angle Kellner type eyepiece which covers a large field. It is of the fixed focus type and has a crossline reticle with graduations. Telescope is 4" long and 3" high, 1-3/8" in width, weight only 7% ozs. Slightly used war surplus scope, in good operating condition. (Illustrated above.)

line reticle.

No. 2683 ..... Coated ..... \$15.00 postpaid

#### 7X WIDE FIELD FINDER




Excellent wide-field finder for refractor or reflector astronomical telescopes. Contains an achromatic kellner focusing eyepiece, a crossline reticle and an achromatic objective to make finding easy. Fine definition. Finished in black anodized aluminum. Length 91/2", diameter 11/2", weight is 9 ounces.

No. 18E2193

\$12.75 postpaid

#### FINDER RING MOUNT



- A. No. 35D1963....Per pair....\$3.95....postpaid.
  Inside diameter of ring mount 1-15/16". Accommodates above Finder.
- B. No. 35D1964.....Per pair.....\$3.95.....postpaid

#### MOUNTED ACHROMAT






This mounted coated achromat is 64mm in diameter and has a focal length of 190mm. Mounting is threaded and measures 71mm in diameter (at threads), and is 29mm long. This achromat is not sufficiently corrected for use as a telescope objective, but will make a fine achromatic condensing lens.

No. 12A2288

\$4.00 postpaid

#### RELAY SWITCH MAGNETIC



be mounted horizontally as shown. Pressing button closes contact points; when magnetic field is activated, contact is broken in push button circuit. Coil op-erates 12 volt D.C. Contact points rated 1500 watts non-inductive load 60 cycle A.C. Solder terminals. Manual switch button protrudes 3/4" in

behind panel are 1%" wide, No. 16C2790 \$4.25 Ppd front of panel. Dimensions 2%" high, 2%" deep.

#### ELECTRIC MOTOR



BRAND NEW

Universal type, use A.C. 115 volts 60 cycles, or D.C. Reversible, has three leads 7" long. 1/30 horsepower; 7,000 R.P.M. Intermittent duty, high starting torque.
Measurements: shaft ¼" diameter by ¾" long; body 2-5/8" diameter by 2½" long; overall length 4¼".

No. 1782738

\$4.95 Postpaid

#### HEIGHT FINDER PARTS

MOUNTED EYEPIECE ASSEMBLY




FILTER PLATE


RHOMBOIDAL PRISM

From U.S. Army Height Finder M1 - Consisting of 2 Ploss I type eyepieces which contain two cemented achromats, diopter scale and rubber eyeshield for each eyepiece. Focal length is 27mm. Easy interpupilary adjustment from 58 to 72mm. Contains two 1" rhomboidal prisms which displaces the image horizontally by 1". Five rotating filters - dark, amber, clear, blue and red. Shipped completely assembled. Used, in good condition. Height is 5", width 10", weight 7 lbs.

No. 2092

\$20.00 postpaid





4 ACHROMATIC WEDGES


Contains 4 achromatic wedges which provide deviation without breaking up light into its component color bands. Its two elements consist of flint and crown glass. Wedges are 64mm in diameter, wedge angle 23 minutes, approx. deviation 12 minutes. These wedges ordinarily sell for \$5.00 each. Easy to dismount.

GEAR TRAIN SYSTEM

Contains an abundance of gears made of bronze and brass worth well over \$150.00. Just look at this fabulous assortment: 1 -Helical gear system, 2 - Planetary (differential) gear systems, 13 - Pinion gears, 12 - Spur gears, half of a universal joint, bearing blocks, shafting, etc. Mounting is cast aluminum. Use as is or dismantled. These valuable parts may be adapted to various applications. Size is 8½" long, 7½" high and 5½" wide. Weight about 10½ lbs.

No. 16E2086

\$22.50 postpaid



Coil, 24 volts direct current, 120 ohms, 1/5 ampere. Torque, 160 ounce inches. Output shaft (stainless steel) 3/16" dia., 1/2" long. Input shaft (bronze) 3/8" dia., 3/8" long. Body (aluminum) 1-7/8" dia. (plus mounting ears), 1-5/8" long. Weight approx. 1 pound.

When power is on, input shaft drives output shaft When power isoff, input shaft is free and output shaft is restrained by brake. Unused recent military surplus.

No 33D2668

\$7.95 postpaid



## Stereo MICROSCOPES

- WIDE FIELD -


BINOCULAR TYPE

LOW POWER



The Stereo Microscope can be used to a far greater advantage than the conventional type one-eye, one-objective microscope. With an ordinary microscope, the viewer cannot get a full depth of vision. How-ever, with The "Stereo". both eyes of the observer are used, each viewing the object from a slightly different angle as in normal vision. Thus, the observer has a full 3 dimensional view. Useful for examining specimen in botony, zoology, dermatology,

metallurgy, etc. Each Stereo Microscope has erecting prisms for an upright image. Binocular Eyepieces are easily adjusted for interpupillary distance. Stage has removable stage glass with spring clips. Focusing adjustment by rack and pinion motion. Each Stereo is supplied with wood cabinet and is fully checked and collimated. High quality wide-field



#### DELUX VARI-COMBO

#### STEREO MICROSCOPE

Supplied with 2 paired achromatic objectives of 2X and 4X permanently fixed, and 2 paired eye-pieces 5X and 10X.

NO. DR1992 \$150.00 PPD.

OBJECTIVES	WIDE FIELD PAIRED	TOTAL MAGNIFICATION	FIELD OF VIEW ABOUT	WORKING DISTANCE ABOUT
2X	5X	10X	11 mm	93 mm
4X	5X	20X	5 mm	47 mm
2X	10X	20X	10 mm	85 mm
4X	10X	40X	4.5 mm	45 mm

#### The VALIANT

OPTICAL COMBINATION:

nerformance.

OBJECTIVES	EYEPIECES WIDE FIELD PAIRED	TOTAL MAGNIFICATION	FIELD OF VIEW ABOUT	WORKING DISTANCE ABOUT
1X	5X	5X	33 mm	65 mm
1X	10X	10X	23 mm	65 mm
4X	5X	20X	6 mm	40 mm
4X	10X	40X	5 mm	40 mm

#### STEREO MICROSCOPE

Furnished with 2 pair of objectives 1X and 4X. To change the objectives merely slide the objective housing from one position to the other. Supplied with 5X and 10X wide field eye-

NO. DR2277

\$225.00 PPE



#### STEREOMASTER 1 STEREO MICROSCOPE

Furnished with single paired 2X Achromatic Objectives permanently fixed and 2 paired eyepieces 10X & 15X. \*Optional 5X Eyepiece, \$15.00 Extra. NO. DR1993 \$135.00 PPD

#### STEREOMASTER 2 STEREO MICROSCOPE

Furnished with single paired 4x Achromatic Objectives permanently fixed and 2 paired eyepieces 10X & 15X. \*Optional 5X Eyepiece, \$15.00 Extra.

NO. DR1994

\$140.00 PPD

#### OPTICAL COMBINATION:

CAT. NO.	OBJECTIVES	EYEPIECES WIDE FIELD PAIRED	TOTAL MAGNIFICATION	FIELD OF VIEW ABOUT	WORKING DISTANCE ABOUT
DR1993	2X	5X *	10X	14.0 mm	80 mm
		10X	20X	11.5 mm	80 mm
fortaid (2)		15X	30X	8.5 mm	80 mm
DR1994	4X	5X*	20X	7.0 mm	46 mm
	Sinal	10X	40X	5.0 mm	46 mm
		15X	60X	3.8 mm	46 mm

#### MICROSCOPE POCKET PORTABLE

A geologist's pocket microscope. Variable powers engraved on tube for easy focusing. Tripods legs are removable for compact packing with a black Zipper Pouch.

20x-70x

No. DR2308 \$7.50 Postpaid



#### MICROSCOPE ILLUMINATOR



good and steady source of light. Illuminator is mounted on a metal base and supported by a chrome plated ball joint to adjust the posi-tion of the light as desired. For use with AC current only. Contains a filter at front end, when removed, increases light intensity. To be used in front of mirror. Imported. Complete with bulb.

For best results

microscope requires a

No. DR 2278

Extra Bulb

\$5.00 Postpaid

DID YOU MOVE???

When we recieve an order, we automatically place your name on our permanent mailing list. We are, therefor, requesting that you notify us when you change your address.

These post war Japanese binoculars are not to be confused with pre-war production. German technicians, machines and patterns have upped Japanese standards to the point where they are almost equal to the finest American and German glasses and at less than 1/3 the cost.

COLOR CORRECTED ACHROMATIC LENSES in these brand new prism type binoculars will give superb definition.

All binoculars are thoroughly checked and tested by us before leaving our plant. We endeavor to keep our prices as low as is consistent with supplying the high quality binoculars we know our customers will de-

#### IF YOU FIND IT HARD TO CHOOSE

For ideal viewing - for brilliant images, even under poor lighting conditions, you cannot do better than a pair of 7 X 50 binoculars. Either Individual or Center Focus

If you want a very light weight glass for all around daytime use, a 7 X 35 would be a very good choice. For extra satisfaction, buy the B. & L. type with its' sturdy one-piece frame.



AMERICAN TYPE (above) sometimes referred to as B & L



We have illustrated two of the most popular types. The American Type offers a superior one-piece frame and clean design pleasing to the eve.

CAT. NO.	PRICE PPD.	STYLE	TYPE	RELATIVE BRIGHTNESS*	FIELD OF VIEW AT 1000 YDS.	WEIGHT IN OZS.
DR1149	\$14.75	6x15 Individual Focus	Miniature	9.4	360'	5.5
DR1962	29.75	6x25 C.F. 'WIDE ANGLE' 120	Miniature		604'	16
DR1435	19.75	6x30 Individual Focus	Zeiss	37.5	395	17.6
DR1436	21.50	6x30 Center Focus	Zeiss	37.5	395'	19
DR1504	17.50	7x18 Individual Focus	Miniature		300'	
DR1437	21.50	7x35 Individual Focus	Zeiss	37.5	341	21.2
DR1438	22.50	7x35 Center Focus	Zeiss	37.5	341	22.6
DR1771	24.75	7x35 Center Focus	American	37.5	420	22
DR1439	32.00	7x35 C.F. "WIDE ANGLE" 110	American	37.5	577 '	30 30
DR2922***	47.50	7x35 C.F. "EXTRA WIDE ANGLE"	American	37.5	657'	7.5
DR1505	20.75	8x20 Center Focus	Miniature	9.4	260'	42
DR2303	42.50	7-12x40 C.F. "ZOOM"	American	18-49.5	372'	34.5
DR961	24.95	7x50 Individual Focus	Zeiss	75 75	375'	36
DR1106	26.95	7x50 Center Focus	Zeiss	75	372'	35
DR1503	29.75	7x50 Center Focus	American	75	578'	36
DR2191	43.75	7x50 C.F. "WIDE ANGLE" 110	American	10	330'	16
DR919**	13.50	8x26 Center Focus	Zeiss Zeiss	14	340'	17
DR920**	15.50	8x30 Center Focus	Zeiss	21	393 '	17.6
DR1229	20.00	8x30 Individual Focus		21	393'	19
DR1443	21.00	8x30 Center Focus	Zeiss	37.5	275	27.5
DR1108	27.50	10x50 Individual Focus	Zeiss	37.5	275'	29
DR1440	29.75	10x50 Center Focus	Zeiss		183'	
DR1441	32.50	20x50 Individual Focus	Zeiss	9.4	183	44.5
DR1442	33.50	20x50 Center Focus	Zeiss	13.5	184	46.5
DR2317	47.50	20x60 Center Focus	Zeiss	18		47
DR 2522	59.75	20x70 Center Focus	Zeiss	10	158'	47

Remember that the above binoculars are COATED and a hard leather case and straps are in-\*Factor of 50% is added because the lenses are coated. cluded with no extra cost.

\*\*\*Adapts to camera tripod. \*\*Made in France, UNCOATED.



- straps hold prisms securely in place and are resistant knocks and blows.
- Large objective lens
- A. JAEGERS LYNBROOK, N.Y.

#### TECHNICAL TERMS EXPLAINED:

#### THE POWER OF A BINOCULAR:

is the number of times the object is magnified; glasses with explanation is the number of times nearer the object appears through the glasses, i.e., an object 4 miles away appears only half a mile distant through an 8 power glass. The mag-nification (power) as well as the diameter of the objectives is usually engraved on binoculars. Thus the marking "8 x 30" means magnification 8x and objective lens diameter 30mm.

#### FIELD OF VIEW:

is the extent of the field seen through the glasses. It is expressed either in angular measure or in feet at a range of 1,000 feet. That is to say that a glass with a field of view of 150' will show you 150 feet of landscape at 1,000 feetproportionately greater fields at longer ranges and less at shorter ranges.

Unfortunately the greater the magnification the less the field Unfortunately the greater the magnitudinal may be such and of view. This is an optical necessity. It follows therefore, that if you choose a glass with large magnification you must be prepared to accept a smaller field of view than you would obtain with a less powerful glass.

#### MINIATURE BINOCULARS

COATED

Here is an ideal binocular for the lady's handbag. The prismatic design everyone is so eager to own. Light-weight models of high power and definition. Individual micromatic lenses are coated for maximum light transmission and anti-glare. Dust and moisture proof all metal all chrome finished. Similar construction to American binoculars selling for more than ten times our price. Complete with carrying case and coated optics.

CAT. NO.	PPD.	STYLE	_A_	_B_	_C_
DR1149	\$14.75	6x15 Ind. Focus	6¼	360'	5.5
DR1504	17.50	7x18 Ind. Focus	6½	300'	6
DR1505	20.75	8x20 Center Focus	6¼	260'	7.5

A-Relative Brightness B-Field of View at 1,000 yards C-Weight in ounces

#### WIDE ANGLE MINIATURE

6X25 COATED

BINOCULAR

Finest quality wide angle binocular. This superb mini ature has a field of 604' at 1,000 yds. (120). Center focus. Each binocular receives extensive inspection of "in work" as well as complete binoculars at factory for mechanical and optical perfection. Comes complete with carrying case and straps. Excellent for all around

No. DRI 962

6x25

\$29.75 postpaid

# MONOCULAR

VEST POCKET

The vestpocket monocular is so small it fits within the palm of your hand. A coated achromatic monocular for individuals of varied interests: sports fans, target shooters, hunters & bird lovers. Zipper pouch to carry. \$12.50 postpaid

#### PRISM MONOCULARS



Brand new prism monoculars. Equal to % of a binocular and of the same high quality. They are lightweight and come complete with plush lined pigskin case and carrying straps, plus a special adapter to accommodate a standard tripod. In addition you receive directions for use as a telephoto lens with your camera. Many observers find them ideal as rich-field sky sweepers or as telescope finders. COATED OPTICS.

CAT. NO.	PRICE POSTPAID	SIZE	RELATIVE BRIGHTNESS	FIELD OF VIEW FT. AT 1,000 YDS.
DR1576*	\$13.50	6x30	25	393
DR1578*	14.75	7x35	25	367
DR1303*	16.50	7x50	50	367
DR1579	20.00	16x50	10	183
DR1580	21.00	20x50	6¼	183

For Special Purpose Monoculars, see page 15.

\*TELEPHOTO ADAPTER. Convert your monocular to a telephoto lens. (For best results use with No. DR1303, due to its greater size of exit pupil.) Simply remove plastic eyecup and screw on adapter. Accepts series V adapter. \$1.50 Postpaid No. 15D2885

Same as above, however accepts series VI adapter. No. 15D2886

\$1.95 Postpaid refunded.

#### WIDE ANGLE BINOCULAR COATED 7X35

Never in your life have you ever seen such a fantastically wide angle binocular. Think of it! With this brilliant 7 x 35 model you'll see 577', or 110 of field. Lightweight, this binocular has achromatic corrected lenses which will give you sharp images right up to the edge. See more, much more with this wide angle binocular. Central focusing adjustment. Black crackle finish. Complete with pigskin leather case, shoulder and neck straps. Made in Japan. No. DR1439

\$32.00 Postpaid

#### **NECK STRAPS**

Black leather with metal buttons. 39" in length. Attach to binocular with buttons and hold it suspended from No. 16C1848 around neck.

#### BINOCULAR CLAMP

Will hold any size make of binocular rigidly on tripod. Has a standard camera threaded hole (4x20). Especially adapted for holding high power glasses. Used for target spotting or distant spots. Comes in black crackle finish. No. DR1959 \$2.95 Postpaid





A new idea in monoculars and viewing enjoyment. Fingertip control; gives you six powers from seven to twelve, by use of the adjustable eyecup. Achromatic objective 40mm diameter. Complete with leather carrying case, and adapter to accommodate a standard tripod. No. DR2479

#### CAMERA TRIPOD



Here is a camera tripod that can be used for binoculars, small telescopes and cameras. It has a built in panhead which locks in position with a slight twist of the handle. Pans 360°, and tilts from straight down to almost straight up. Overall length with legs closed, 10%"; with legs extended, 44". weight, approximately 1% pounds. Zipper pouch included.

No. DR2480 \$6.50 Postpaid

\$6.50 Postpaid

Same tripod and pouch as above except for the addition of a crank actuated elevator which permits the tripod head elevator which permits the craped have to be raised any amount up to 6½". Weight approximately 1½ pounds.

Ma. NR 2895

\*9.75 Postpaid

#### We are PROUD

of our vast experience and specialization in optics which assures our many customers of getting the finest in binoculars. High quality merchandise and service ranks us with the best in the field. For example: We check each bin-ocular for collimation before shipping. A binocular consists of two optical systems, and if not aligned with min-ute exactness you will get a double image. We unconditionally guarantee each binocular or your money will be

THE GLASS HOUSE

#### DRIFT METER

dismantled to obtain the following parts:

Two Mounted Achromats 1-3/8" Dia. X 3-3/8" EFL.
Two Mounted Field Lens 2" Dia. X 3-3/8" EFL.

This mounted field lens consists of two elements; a double convex lens 2" Dia. X 7" EFL and a Plano convex lens 2" Dia. X 6%" EFL. This lens has etched lines on the Plano side


One First Surface Mirror 13" X 2-15/16" X 1/8" thick.

Elliptical Second Surface Mirror 14" X 2-3/16" thick.

One Ground Glass 4" Dia, X 1/16" thick,

Computer converts knots to miles per hour. Pantograph holds pencil, has  $4 \frac{1}{2}$ " to 1" ratio.

\$12.50 Postpaid



#### OLDHAM COUPLING

PIN TYPE

Excellent for joining shafts at "hard to reach" spots. Allows for misalignment up to one degree. Made of stainless steel with aluminum flanges. Outside diameter diameter of holes for shafts 7/32", overall

Recovered from instruments; appear to be new. If purchased new, costs more than \$12.00

No. 33D2667

#### 12X ENGRAVERS LOUPL



#### 12X FOLD UP LOUPE

Excellent performing quality coated achromatic lens sys-tem, 12X. Plastic and metal construction. Folds up like a linen tester.

No. DR2108


\$6.75 Ppd.


\$2.00 Postpaid

#### 12X SWIVEL MOUNT LOUPE

Excellent performing coated achromatic lens system, 12X. Metal construction with swivel mount and aluminum lock washer. Complete with pigskin case.







No. DR2109 \$11 50 Pnd.

#### THERMOMETERS



was engressery A nice gift--Pleasing to look at and useful. men granamen

Gleaming copper, anodized aluminum construction. Ranges from 10° below zero to 150° above. Approximately 4½" Made in France.

WALL MODEL..... (Illustrated).....DR2888...\$2.00 ppd. For indoor or outdoor use.

#### PLASTIC FRESNEL LENSES

UNSYSMMETRICAL




moss Fresnel Lens

A series of small concentric stepped zones are molded in a thin piece of plastic, thus enabling greater light transmission than a convex lens of the same focal length. Compared to a convex lens made of glass and having equivalent optical properties, the fresnel lens is lighter, thinner, cheaper and not brittle; however, it does not give as clear an image.

CAT. NO.	PRICE PPD.	SIZE	APPROX.	FOCAL LENGT
CAT. NO. 14B2705	\$ 6.00	10½" sq.	1/16"	8½"
1482907	6.00	10½" sq.	1/16"	13½"
1482908*	10.00	12" sq.	1/8"	11"

\*This is composed of two pieces cemented together, one side F.L. 8½", other side 13½"



These Cromalox heaters are excellent when a sealed safe source of heat is needed. Low wattage permits use in maintaining above freezing temperatures in pump hous-ings during the cold weather. Also can be used as a re-sistor. War surplus, used and unused; all in good con-

n. NINO 11/F HEAIEK. 28 Volts, 50 Watts, 1% amperes, 15% ohms. Measurements: 4%" O.D., 4-1/16" I.D., 3/8" high. 5/32" diameter hole in wire terminals, wire leads 1" long. HINT!!! Wire four heaters in series for use on 110 volts.

No. 1802725 \$2.00 Postpaid A. RING TYPE HEATER. 28 Volts, 50 watts, 1% amperes,

B. HEATER. 46 Volts, 60 watts, 35 ohms, 1.3 amperes. Measurements: body 3%" long by 1%" wide by 3/8" high. Mounting ears protrude 7/8", making overall length 5%. Two screw terminals, No. 10-32 threads. Screw terminals. als protrude 2", making overall height 7/8"
No. 1802723

\$2.00 Postpaid

#### IMPORTED

# Microscopes

#### STUDENT MICROSCOPES

#### 50X - 900X STANDARD MICROSCOPE

A high dry system Microscope of pre-cision quality with triple turret revolving nose-piece -three achromatic objectives, two Huygenian eyepieces. Range of magnification 50x - 900x. Fixed tube 160mm. Rack and pinion motion coarse adjustment. Fixed square stage (3%" x 3%") and rotating diaphragm with 5 holes. Plane and concave mirror. Height is 10½". Complete with wooden carrying cabinet

#### STANDARD SIZE EYEPIECES AND OBJECTIVES

3 Achromatic Objectives: 5x, 10x, 60x 2 Huygenian Eyepieces: 10x & 15x

\$47.50 F.O.B. Lynbrook No. DR1584



#### 25X - 900X STANDARD MICROSCOPE

This microscope is basically the same as No. DR1584; the major difference is this microscope contains one extra eyepiece. Three Huygenian eyepieces -- range of magnification 25x - 900x. Fixed tube 160mm rack and pinion motion coarse and fine adjustment on both sides (needed only in special cases). Fixed square stage (4½" x 4½") with condenser lens and rotating diaphragm. Height is 11%". Complete with wooden carrving cabinet

#### STANDARD SIZE EYEPIECES AND OBJECTIVES

Achromatic Objectives: 5x, 10x & 60x Huygenian Eyepieces: 5x, 10x & 15x

No. DRI585 Illustrated \$69.75 F.O.B. Lynbrook

#### 1200X MICROSCOPES

#### 40X - 1200X MICROSCOPE

Exceptionally bright focus is attributed to the powerful magnifications. Powers range from 40-1200. The plano mirror and 3-volt lamp (operates on pen size batteries or adapts to house current) permits brilliant illumination. Optical components are: Objectives--5x, 12x, 40x, 60x; Eyepieces--8x wide field, 15x and 20x.

To add to further viewing pleasure you receive a 6-piece dissecting kit, a color contrast kit. Canadian balsam; plus red and blue stains. Height 9½"; stage 3" x 3½". Comes complete with a styrafoam fitted hardwood carriving which contrast the first contrast to the contrast rying cabinet. Shipping wt. 6 lbs.

No. DR2615

\$29.95 postpaid

#### 50X - 1200X MICROSCOPE

Same as above; however, it is equipped with two eyepieces: 10x and 20x (instead of three eyepieces) permitting eight different combinations from 50x to

No. DR2876

\$27.95 postpaid




#### BOOK

#### HUNTING WITH THE MICROSCOPE

Explains in simple terms how to select and use the microscope. 125 pages.

No. 6E1589

\$1.00 postpaid



#### ZOOM MICROSCOPES

#### 50X - 900X ZOOM MICROSCOPE



In addition, you receive a 6 piece dissecting kit; plus one bottle of Canadian Balsam, one bottle of basic fuchsin, two spare bottles, 5 unprepared slides, 1 prepared slide and cover glasses. Stage 2-5/8" x 2-5/8". Height 9\%", shipping weight approx. 7 pounds. Microscope and accessories are contained in wooden carrying case lined with styrafoam.

No. DR2867 Illustrated \$19.95 ppd.

#### 50X - 1200X ZOOM MICROSCOPE

Similar to above; however, magnification ranges from 50x - 1200x. Rack and pinion motion coarse and fine adjustment. Optical components are: TRIPLE ZOOM EYE-PIECE 10x-15x-20x; four achromatic objectives 5x, 20x, 30x and 60x.

No. DR2875

\$29.95 postpaid

#### PREPARED SLIDES



These slides are perfect specimens expertly prepared and permanently preserved under glass. Supplied in boxes containing 12 slides each. 3" x 1"

CAT. NO.	TYPE	PRICE PPD.
DR1586	Organs of Insects	\$ 2.00
DR1587	Animal Parts	2.50
DR1569	Pollen & Spores	3.00
DR2331	Micro-Organisms	2.50
DR2332	Textile	2.00
DR2333	Mould and Yeast	2.75
DR2334	Plant	2.00
DR2750*	Unprepared Slides	2.50

\* DR2750 is an outfit for preparing your own microscopic slides. A value to anyone. It consists of a wooden box containing 25 plain unprepared slides, 25 cover glasses and balsam.



Convert your battery powered illuminator to electricity. Simply insert jack into base of microscope and insert plug into household current. Uses 110 volt a.c. house current; delivers 3 volts. Use for small motors and optical instruments which are ordinarily powered by flashlight batteries.

No. 1502862

\$2.50 postpaid



# Just In!

#### Late Additions of **Optical Bargains**

#### Here at Last!

#### 6mm ORTHOSCOPIC EYEPIECE

STANDARD 14" MOUNT



Widely preferred for high-powered telescopes in which an eyepiece of a very short focal length is required. Excels all others for its freedom from distortion. Offers a flat, sharp, wide field, color-corrected, excellent definition. All coated optics. Mounted in black anodized aluminum with chrome-plated tube. Finest quality eyepiece.

No. 3C2192 No. 3C2302

\$13.25 Postpaid \$14.00 Postpaid

#### 16mm WIDE-ANGLE ERFLE EYEPIECE



This is It!

A breathtaking extra wideangle eyepiece that truly offers comfortable crystal-clear astronomical viewing. Has a 70 degree apparent field of view. 16mm (5/8") f.l., coated five element achromatic Erfle Eyepiece. Standard 1-1/4" mount. GREAT BARGAIN!

No. 3C1252

COATED

UNCOATED \$12.50 Ppd. COATED \$13.25 Ppd.

#### MOUNTED FOCUSING EYEPIECE



WAR SURPLUS

This mounted focusing eyepiece is of the Plossl type with a 38mm focal length. Contains two coated achromats 30mm in diameter. Designed for flatness of field mats 30mm in diameter. Designed in Transact Titles and sharpness right up to edge of field. Focusing with knurled ring and diopter scale. Experiece is mounted on metal plate 2" x 3" with 4 holes for screws. You'll find this plate convenient and adaptable for mounting.

No. 21C2120

\$14.50 Postpaid



#### 28 VOLT BULB

Mazda #303 bulb; 28 volts, 6 candlepower. Single contact, bayonet base. Bulb 11/16" dia., base 19/32" dia., overall length 14".

No. 18E2731

2 for \$ .50 Postpaid


Use for above (No. 18E2731), or LAMP SOCKET with any other single contact bayonet base type bulb. Over-all length 1-13/16". Inside diameter 5/8". Thread 13/16-32. Connector: single contact bay-onet. No. 15D2849 \$ .50 Ppd.

A. JAEGERS - LYNBROOK, N. Y.



#### GRAIN OF WHEAT BULBS BATTERY HOLDERS





A. GRAIN OF WHEAT BULB

3 volts. Bulb 5/32" diameter, overall length 1/2" Screw base, 3/16" diameter threads. Use with battery holder No. 17E2688.

No. 18A2732

\$ .60 Postpaid

B. LAMP SOCKET

Use with grain of wheat bulb No. 18A2732, Overall length 1-5/16"; outside diameter 5/8". Thread 9/16-18. Connector: coaxial. \$ .50 Postpaid No. 15D2848

C. GRAIN OF WHEAT BULB

3 volts, 5/16" diameter threads which screw into front panel socket No. 17A2734. Bulb 5/32" diameter, overall length 17/32".

No. 17A2733

6 for \$1.50 Postpaid

D. LAMP SOCKET

For front panel mounting of grain of wheat bulb. Use with bulb No. 17A2733. Three #1-72 tapped holes for mounting to panel. Two wire leads, 3" long.Flange 5/8" diameter, overall length 1/4".

\$1.00 Postpaid

E. BATTERY HOLDER

War Surplus. Used by the Army to illuminate reticles on optical instruments. Holds two "D" size batteries (not included). Operates a grain of wheat bulb, No. 18A2732 (included). There is 9" of wire between the battery case and bulb. Has a rheostat for controlling brightness. Brass case painted olive drab, 1-3/4" diameter by 6-3/4" long. No. 17E2688 \$2.50 Postpald

F. BATTERY HOLDER

Holds two 'D' size batteries (not included). Battery case is brass, painted olive drab, 1-3/4" diameter by 6-3/4" long. Built-in rheostat and on-off switch Wire lead, 18" long; alligator clips attached to end of leads (as illustrated above). Use for 3 volt equipment such as motors or lamps, especially for applications where a rheostat is required. War Surplus.

\$2.50 Postpaid No. 16E2726

BATTERY HOLDER Same as above (No. 16E2726), except without alligator clips. \$1.50 Postpaid No. 16E2689

FABULOUS NEWS!

#### FOR AMATEURS AND PROFESSIONALS ALIKE

You're really missing something of great importance if you have not seen the latest Fawcett Book, "MAMTEUR ASTRONOMY HANDBOOK". An excellent how-to-do-it book crammed full of valuable information and instructions. Featured are many interesting instruments built from our vast stock-optics and parts. We strongly recommend "AMATEUR ASTRONOMY HANDBOOK" a Fawcett How-TO-Book, 75¢. Now on sale at your local magazine stand. We have taken just a few of the wonderful projects and listed them

NOTE: The telescopes listed below are sold as parts only; you must put the parts together to make it complete. We do not sell these telescopes pre-assembled.

#### THREE-INCH REFRACTOR - \$63


Coated Achromatic Objective 48" F.L. (83 mm clear aperture; mounted in cell) \$36,00

Coated Keliner Eyepiece 11/16" F.L. (extra eyepieces for higher and lower power and star diagonal optional)

Rack and Pinion for 3.281" Aluminum Tubing 12.95

48" Tubing 3.281" dia. 6.75 (A variety of tripods and mounts are available)

691 Merrick Road, Lynbrook, New York)



A fine low cost telescope capable of high resolution and superb light gathering power. Excellent for lunar and planetary viewing.

Coated Kellner Eyepiece - 1-1/16" f. l.
Rack & Pinion Eyepiece Mount
48" Aluminum Tubing (3.281" I.D.)
R.A. Prism Star Diagonal (optional). Equatorial Mount and Tripod (optional)

6.75 ppd. 12.95 ppd. No. 2C1834 No. 36D1495 6.75 \* 12.00 ppd. 27.50 \* No. 1162 No. 42A2096 2083 No. \*F.O.B. Lynbrook, N.Y.



Best bargain yet. Designed specifically for genuine portability and astronomical observation quality. Lightweight, easy to carry when traveling. Low price even includes the wide-field finder scope.

Coated Achromatic Objective - 30 f. l. Lens Cell for above Objective....... Coated Kellner Eyepiece - 22mm f. l. No. 2797 No. 1954 Tripod (optional - see page 3)..... No.

\$12.50 ppd 4.50 ppd. 6.75 ppd. 12.95 ppd. No. 2C1212 36D1494 3.60 18E2193 12.75 ppd 35D1963 3.95 ppd. 8.95 ppd.

#### PORTABLE REFRACTOR - \$57 Coated 54 mm Achromatic Objective 30" F.L. \$12.50

Lens Cell For Above

Coated 22 mm F.L. Kellner 6.75 Rack and Pinion Eyepiece Focus-ing Unit to fit 21/4" i.d. Tubing 12.95 27" Aluminum Tubing 21/4" i.d. 3.60 Aluminum Black Anodized 7-power Wide-Field Finder with

Achromatic Objective Pair of Ring Mounts for Finder 3,95


(An optional altazimuth tripod head is available at \$8.95)

(Above prices are quoted by A. Jaegers, 691 Merrick Road, Lynbrook, New York)

#### PRISM TELESCOPE PRISM TELESCOPE - \$56

Coated 80 mm Achromatic	
Objective 19.5" F.L.	\$28.00
Cell For Objective	7.50
Coated Symmetrical Eyepiece 3/4" F.L.	6.75
Coated Prism Erecting System	2.50
24" Aluminum Tubing 3.281" i.c	. 4.75

(A variety of tripods are available) (Above prices are quoted by A. Jaegers, 691 Merrick Road, Lynbrook, New York)



An economical all-purpose prismatic telescope that can perform a variety of functions. Upright image for terrestrial use, bird-watching, target spotting and long-distance photography.

Coated Achromatic Objective 19.5" f. l. Lens Cell for above Objective......... Coated Symmetrical Eyepiece 3/4" f. l. Coated Prism Erecting System. 24" Aluminum Tubing (3.281" I.D.)..... No. 9E1158 7.50 ppd. 6.75 ppd. 2.50 ppd. No. 36A2290 No. 2C1210 42B1774 No. No. 1160

Finest "Richest Field Telescope" ever offered. The combination of optical elements in this instrument are unsurpassed. Contrast of tones, textures and color are exceptional.

5"RICHEST FIELD TELESCOPE

	COMPANIES OF STREET	THE REAL PROPERTY AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND	ACTURED TO SEE SEEDING	
oated Achromatic Objective 24-3/4" f.1.		3E1475	\$85.00	
ens Cell for above Objective		34C1761	22.50	
oated Wide-Angle Erfle Eyepiece 11/1" f.1.	No.	1E1405	22.50	ppd
yepiece Tube Adaptor (for above)	No.	34C2291	7.50	ppd
ack & Pinion Eyepiece Mount	No.	36D1495	12.95	ppd
daptor Plate for R & P or Tube Adaptor	No.	36B2274	10.50	ppd
' Aluminum Tubing (5.000" O.D.)	No.	2362	6.00	ppd
eavy duty equatorial mount on metal ped-				
stal 60" high (optional). See page 1	No.	2474	49.50	
nstruction Booklet			. 25	ppd
nstruction Bookiet		*F.O.B.	.25 Lynbrook,	N. Y

PICHEST FIELD TELESCOPE - \$167 Coated 5" Achromatic Objec-tive 243/4" F.L. \$85.00 Cell (for above lens) 22.50 Coated 11/2" F.L. Wide Angle Eyepiece Tube Adaptor 7.50 (for above) Rack and Pinion Eyepiece Mount (Optional but re-quired for standard 11/4" dia, eyepieces) Adaptor Plate for Rack and Pinion Aluminum Tubing 2 ft. long, 5" o.d.